

2014 Masonite

Bolection®

premium interior doors



MASONITE

Bolection®

COLLECTION



2

Series 201 with RM1 Moulding

How to Create the PERFECT DOOR to Fit Your Home

- 1 Choose from our vast selection of ready-to-order designs, or create your own custom door.
- 2 Give your door elegant dimension with a variety of sticking, panel and moulding profiles.
- 3 Add light and texture to your door by selecting one of our many glass inset options.




About Masonite's Bolection® Premium Interior Doors. . .	4
Glass for Bolection® Designer, Traditional & Custom Series. . .	6
Designer Series Doors. . .	8
Traditional Series Doors. . .	16
CYMA® Collection Carved Doors. . .	24
Custom Series Custom Doors. . .	28
Warranty Information. . .	30

index

Premium Interior MDF Doors

- Solid panel and stile & rail construction doors
- Unlimited design capabilities
- Engineered wood product will not shrink, warp or crack
- Machining capabilities to support all residential and commercial needs
- CAD/CAM integrated design and manufacturing
- All MDF construction—panels, edges, face grain edges
- Fire-rated product also available

DESIGN FREEDOM



Door designs are a key architectural element within the home. With Bolection doors, you have virtually endless options to create the perfect look for your décor. Choose from our vast selection of unique door shapes, panel designs and glass options or create your own original design and we'll make it just for you. Either way, production times are equally the same.

Add custom finishing touches with millwork and finishes. Consider functional choices such as our marker boards for playrooms and kitchens or inset mirrors for closets and dressing areas.

Experience a whole new look and rich feel with Bolection solid core doors for added privacy and protection.

Doors, like fine furniture, look best when integrated into the overall style of your home to **COMPLEMENT & ENHANCE** the beauty of your surroundings.




The **EDGE** of **TECHNOLOGY**





Our proprietary Bolection Edge provides the highest durability and performance in the industry and allows for a superior edge finish. We use only double refined MDF in our doors and we prime all surfaces and

edges to ensure a long-lasting finish. Whatever your needs, requirements and specifications we have a solution for you to make your next project a resounding success from cost effective solutions to difficult door openings, such as challenges with odd sizes or remodeling and restoration projects.



CYMA® Collection C305



Bolection's wide array of designs includes elements such as architecturally **CRISP, CLEAN LINES**, precision-crafted, mitered panels & quality material solutions that enhance green initiatives.

GLASS OPTIONS

1



Cotswold™

2



Flemish™

3



Satin™

4




Minister™

5



Reeded™



Because Bolection doors are made from a solid piece of material, openings for glass and other inserts are routed right into the door, preserving its solid one-piece structure. This means even with time and use, inserts in our doors won't loosen and won't result in rattles or cracked and broken glass.

Glass, mirrors, marker boards, chalk boards and other inserts can be substituted for any door panel*, and matching inserts can be incorporated into transoms and sidelites. All glass inserts are tempered for safety, and mirrors have a safety backing.

* Glass insert options available for Designer, Traditional and Custom Series doors only.



Series 310 with Reeded® glass

DISTINCTIVE DESIGNS



8

Series 212



Series 416

The Designer Series offers thousands of design options to suit any décor. Start by choosing a distinctive design from our portfolio on the following pages, then enhance your selection with a combination of sticking, panel and moulding profiles.

- Made from a solid piece of double-refined MDF
- One-piece construction assures superior appearance and stability for years to come
- Seamless—no stile & rail joints visible
- Glass and other insert options available
- Fire doors with ratings up to 90 minutes
- Precision-crafted, mitered panels and crisp lines are the result of a combination of computer-controlled manufacturing and painstaking hand craftsmanship
- Sizes up to 10 feet high and 5 feet wide
- Limited lifetime warranty

ALL ABOUT MDF


Medium-density fiberboard is a wood product engineered from hard- or soft-wood fibers combined with water-resistant binding materials, then subjected to extreme temperature and pressure to form durable, solid panels.

MDF construction results in a material much stronger and denser than particle board, yet with a smoother, more consistent appearance than traditional wood.


DESIGNER DETAILS




Series 201 with RM1 Moulding




CLIPPED CORNER




TRUE RADIUS PAIR




TRUE RADIUS TOP



GOTHIC TOP



RAISED MOULDING




NO MOULDING

Silhouettes




Profiles


Panel



DOUBLE HIP*




SINGLE HIP



SCOOP

Sticking



OVOLO*



BEVEL




OGEE


Raised Moulding



RM1*




RM2




RM3**

* Default option. **Not available for flat panel profiles.


DESIGNER PORTFOLIO




D101




D102




D103




D104




D105




D122




D123




D138




D157




D201




D202




D203




D204




D205




D208




D211




D212




D213




D215




D217




D219




D220




D221




D222




D223




D224




D225




D226




D236




D241




D252




D273




D280




D297




D301




D302




D303




D304




D305




D308




D310




D311




D312




D313




D315




D316




D318




D319




D320




D321




D322




D323




D324



D332




D341




D358


DESIGNER PORTFOLIO




D365




D367




D372




D390




D401




D402




D403




D404




D405




D406




D408




D410




D411




D412




D413




D414




D415




D416



D473




D477




D478

Safety Meets Style with Bolection Designer Series **FIRE-RATED DOORS**


Fire Rating (Mins.)	20	45	60	90
Max Size: Single	4' x 8'	4' x 8'	4' x 8'	3' 6" x 8'
Max Size: Double	8' x 8'	7' x 8'	7' x 8'	7' x 8'
Thickness	1-3/4"	1-3/4"	1-3/4"	1-3/4"
Max Insert Area	Any	1,248 in ²	100 in ²	100 in ²




D501




D502




D503




D504




D505




D506




D508




D510




D511




D512




D513




D514




D515




D522




D528




D601




D602




D604




D605




D609




D610




D611




D612




D643




D904




D912




D913



D914



D915



D916

Construction of Stile & Rail Doors

- Traditional stile and rail construction
- High quality cope and stick joinery
- Hundreds of design options
- All components made from solid pieces of double-refined MDF
- Sizes up to 8' high and 3'6" wide
- Limited 10-year warranty
- Fire-rated models available in flat panel only; call for specific ratings




Bolection®

TRADITIONAL SERIES


Bolection® Traditional Series




TRADITIONAL PORTFOLIO




T101




T102




T105




T106




T109




T111




T180




T190




T201




T202




T205




T206




T209




T219




T220




T250




T301




T302




T305




T306




T308




T309




T310




T319




T319M




T319U




T320




T321




T322




T324




T325




T326




T328




T329




T330




T331




T332



T340




T401




T402


TRADITIONAL PORTFOLIO




T410




T419




T420




T421




T440




T450




T451




T452




T501




T502




T510




T519




T520




T521




T522




T601




T602




T607




T610




T611




T631




T701




T801




T811




T923




T924



T929



T933



T992




TRADITIONAL DETAILS




Series 305


Silhouettes




CLIPPED CORNER



TRUE RADIUS PAIR



TRUE RADIUS TOP



GOTHIC TOP




RAISED MOULDING




NO MOULDING

Panel Profiles




FLAT FLAT V-GROOVE REGENCY TRADITIONAL

Sticking Profiles



OGEE OVOLO SQUARE ONE STEP


Inset Moulding




IM1 IM2 IM3

TRADITIONAL SERIES


Stile & Rail Door Specifications



1-Panel Wide



2-Panel Wide



3-Panel Wide

Stile Width "A" Door Widths 1-0 Door Widths 1-2 Door Widths 1-4 through 1-10 Door Widths 2-0 through 2-4 Door Widths 2-6 through 4-0	2" 3" 4" 5" 5"	N/A N/A N/A 4" 5"	N/A N/A N/A 4" 5"
Top Rail Width "B"	5"	5"	5"
Bottom Rail Width "C"	9"	9"	9"
Lock Rail Width "D"	5"	5"	5"
Lock Rail Center Line "E"	36"	36"	36"
Lock Panel Center Line "F"	36"	36"	36"
Intermediate Rail Width "G"	3"	3"	3"
Mullion Width "H" Standard Door Widths 2-0 through 3-6	N/A	3"	3"
Available Sizes Maximum Size Minimum Size	3-6 x 8-0 1-0 x 5-0	3-6 x 8-0 2-0 x 5-0	3-6 x 8-0 2-0 x 5-0
Panel Specifications 1 3/8" Thick Doors: Flat Panel 3/8" Raised Panel 1 1/8" 1 3/4" Thick Doors Flat Panel Ogee and Square Sticking . . . 3/4" Ovolo and One Step Sticking. 1/2" Raised Panel 1 1/4"			

Notes

1. All components measurements are "Net" from outside of panel to outside of panel, or outside of panel to edge of door.
2. Lock rail and lock panel center lines are from bottom edge of prefit door.
3. Doors narrower than 2'-0" on 2 or 3 panel wide orders will be made as 1-panel wide in corresponding design.

REMINISCENT DESIGNS







CYMA® Collection C308


The CYMA® collection offers 65 surprisingly affordable designer carved doors, available in a wide variety of popular designs. CYMA® doors are an excellent value for dealers who want to offer customers a full line of designer carved doors or for the discriminating homeowner and custom home builder.

- Available in 1-3/8" and 1-3/4" thicknesses
- Sizes up to 3'6" wide and up to 8'0" high
- Solid, one-piece wood composite construction will not warp, shrink or expand
- Engineered hinge edge for strong screw-holding power
- Radius corner profile edges allow for quick turnaround
- 20-, 45-, 60- and 90-minute fire-rated doors available
- Limited lifetime warranty


Available in **Routed** and **Raised** Moulding Profiles




CYMA® PORTFOLIO




C101




C102




C103




C104




C105




C201




C202




C203




C204




C205




C208




C211




C212




C213




C215




C217




C219




C220




C221




C222




C301




C302




C303




C304




C305




C308




C310




C311




C312




C313




C315




C316




C318




C319




C320




C321




C322




C323




C401




C402




C403




C404




C405




C406




C408




C410



C411




C501




C502




C503




C504




C505




C506




C508



C510




C511



C512




C513




C514




C601




C602



C604



C605



C610

C611

CUSTOM DOORS



Open the door to your IMAGINATION


Create your own unique design from start to finish with Masonite's Custom Series custom doors.

Give your new door added elegance with your choice of sizes, insets, sticking, panel and moulding profiles and silhouettes.

Share your idea with us and our expert team of artists will make your dream come true until you are 100% satisfied.



Dream it, design it or even sketch it on a cocktail napkin—we'll make your one-of-a-kind dream door a reality.



WARRANTY & CARE

The following warranty applies to all solid panel MDF Door products sold under the Bolection® brand. This warranty is IN LIEU OF any other warranty, express or implied but not limited to any implied warrant of MERCHANTABILITY or fitness for a particular purpose.

Bolection® Designer Series & CYMA® Collection Limited Lifetime Warranty

Subject to the limitations and exclusions described herein, Masonite warrants to the original purchaser of a Designer Series or CYMA® solid panel door (the "Product") that the Product shall be free from defects in material and workmanship. This warranty is for the life of the product and becomes effective on the date of the initial installation of the product. This warranty shall expire and become null and void upon the sale or transfer of the Product to anyone other than the original purchaser.

Bolection® Traditional Series Limited 10-Year Warranty

Subject to the limitations and exclusions described herein, Masonite warrants to the original purchaser of a Bolection® stile and rail door (the "Product") that the Product shall be free from defects in material and workmanship. This warranty is for 10 years and becomes effective on the date of the initial installation of the product. This warranty shall expire and become null and void upon the sale or transfer of the Product to anyone other than the original purchaser.

Bolection® Custom Series Limited 5-Year Warranty

Subject to the limitations and exclusions described herein, Masonite warrants to the original purchaser of a Bolection® solid panel door (the "Product") that the Product shall be free from defects in material and workmanship. This warranty is for the life of the product and becomes effective on the date of the initial installation of the product. This warranty shall expire and become null and void upon the sale or transfer of the Product to anyone other than the original purchaser.

Limitations on the Warranties

The warranty does not cover: (a) exterior installations, (b) normal wear and tear; (c) damage resulting from abuse, neglect, misuse, or as a result of any accident or act of God; (d) improper installation or maintenance, including, but not limited to damage resulting from bowing or nonalignment in the frame or jamb in which the door is hung; (e) any product that is purchased from the manufacturer without the factory prime coat; (f) any Product that is over three feet (3') in width and/or eight feet (8') in height; (g) warp not exceeding ¼" in the plane of the door itself for doors three-feet (3') x eight-feet (8') or smaller; (h) damage due to trimming more than one-inch (1") total off the Product; (i) damage resulting from the failure to seal all six (6) sides of the Product with an acceptable finished topcoat(s), immediately after fitting and hanging; (j) damage resulting from the failure to maintain the finished topcoat(s) on all six (6) sides of the Product; (k) variations or unsatisfactory results in gloss level, texture or appearance resulting from the field application of paint or other finishing material; (l) cost for labor, installation removal or finishing of the replacement door panel; (m) products altered without Masonite prior written consent; or (n) doors shipped outside of the continental US, Hawaii, Alaska or Canada.

Exclusion of Implied Warranties

All implied warranties, including, but not limited to the warranties of merchantability and fitness for a particular purpose, are excluded and do not apply to the product.

Limitation of Remedies

The purchaser's exclusive remedy against Masonite shall be for the repair or replacement of the Product or, at Masonite's exclusive option, refund of the purchase price. No other remedy (including but not limited to, incidental damages or consequential damages for lost profits, lost sales, injury to person or property, or any other incidental or consequential loss, whether arising out of breach of contract, breach of warranty, tort or otherwise) shall be available to the purchaser.

Masonite reserves the right to have a Masonite representative field inspect the Product within thirty (30) days of receipt of a claim. Any returned Product that is replaced or refunded is and shall be the property of Masonite.

Obligations of Purchaser

Claims under this warranty must be made in writing, with proof of purchase, and prior to any repair work, to:

Masonite Corporation—Residential Division
201 N. Franklin Street
Suite 300
Tampa, FL 33602

If you have any questions about this warranty, please contact Masonite Corporation toll-free at 1-800-663-DOOR (1-800-663-3667), M-F 9AM-5PM Eastern Time.

INSTALLATION & CARE



- Doors must be stored flat and fully protected against humidity. When doors are moved, they must be lifted, eliminating any sliding of one door on another.
- In order not to change the door's balance, a maximum of 1/2" may be removed on its width (1/4" on each side). Any modification to the door's height must not exceed 1" and should be removed from the bottom rail only.
- When the door is hung, a good quality sealant must be applied immediately to minimize humidity absorption. Special attention must be given to finish all six sides of the door, including the top and bottom of the door. Doors must be finished on all sides to have a valid warranty.
- Prior to finishing, lightly and thoroughly sand with 220 grit sanding sponge to remove all handling marks, oils, and raised grain. Do not use steel wool.
- It is recommended to sand between coats following the paint manufacturer's instructions.
- Apply finish in even, consistent layers, following the manufacturer's instructions. The use of satin or semi-gloss finish is highly recommended.
- Apply water-based paints in light coats in a warm, dry environment. Otherwise paint will take longer to dry and will penetrate into the board, raising the grain or fibers in the MDF. Do NOT reduce paint beyond the manufacturer's recommendations. The use of satin or semi-gloss finish is highly recommended.



Bolection®

PREMIUM MDF DOORS



Today, homes are purchased to meet specific lifestyles and to satisfy the need to create multiple living environments within a single home. To meet these lifestyle needs, Masonite is continually creating new and innovative products that will make every home more beautiful, more valuable and more enjoyable.

Masonite's products are designed and constructed to exacting standards and specifications. All materials— wood, fiberglass, steel or composites—are engineered and carefully selected to ensure lasting durability and timeless performance.




Series 510

For more information call toll-free: 1-800-663-DOOR (1-800-663-3667)

Masonite®, "Masonite. The Beautiful Door.™", Bolection®, CYMA®, Cotswold®, Flemish®, Satin®, Minister® and Reeded™ are trademarks of Masonite International Corporation. Please check with your Masonite dealer or distributor for current warranty terms and conditions. Our continuing program of product improvement makes specification, design and product detail subject to change without notice. 12/13 Printed in the USA ©2013 by Masonite International Corporation

To see more product offerings or find a dealer near you visit

WWW.MASONITE.COM



COVER: Series 301